



FOR CONSTRUCTION / FORMWORK / CONSTRUCTION SHOVELS / Shovels

Product reference

5501-3 M

# Certified beech wood T-handle pointed shovel 290mm / 55013M

Brand EAN code Use

Bellota 8414299500400 Digs, collects rubble, cement, earth...this shovel makes it easy for you.

# Bullet points

It won't let you down. Unbreakable sheet metal pointed shovel, heat-treated to prevent deformation and wear. It won't wobble. Perfect joint between the shovel and the handle making your work safer. Comfortable grip. T-handle made of PEFC-certified beech wood, varnished and soft touch.

### Description

Professional pointed shovel made of top-quality, heat-treated sheet steel for maximum durability and elasticity, resistant to wear and deformation. The blade is ribbed and the bucket fits perfectly into the handle, without burrs or protrusions. T-handle made of PEFC-certified beech wood, lightweight and pleasant to the touch. Ideal for digging and collecting debris.

## Characteristics and attributes

### Attributes

Blade size length x width (in mm): 290x335

www.bellota.com 1/3



## Characteristics

Head material: Steel Head width (in mm): 290 Head shape: Pointed shape

Ergonomic handle

Handle material: Beech wood Handle length (in mm): 701 Handle type: T-handle

Handle diameter (in mm): 33

Usage: Digs, collects rubble, cement, earth...this shovel makes it easy for you.

# Item dimensions

Article length (in mm)

Article width (in mm)

High article (in mm)

Net weight (in kg)

150 285 1020 1.9

Gross Weight (Kg)

2.08

# **Finishes**

Material Colour Finish

Steel, Beech wood Black, Wood Painted, Varnished

# Classification and certifications

Tariff code Certification

82011000 PEFC

# Spare parts and accessories

Related articles (Spares)

www.bellota.com 2/3





M 5501 L

Certified long wooden handle for shovel 5501 - 5502 / M 5501 L

M 5501 A

Certified wood T-handle for shovel Certified wooden T-handle for shovel Non Varnished Handles for Shovel / M 5501 - 5502 / M 5501 A

M 5501 M

5501 - 5502 / M 5501 M

M 5501 MSB

5501 MSB